

# **Husky Concrete Resurfacing Safety Policy**

At Husky Concrete Resurfacing, safety is not just a requirement—it's a core value. We believe that no job is truly successful unless it is completed without incident, protecting our team, our clients, and the community. This policy outlines the measures we take on every project to ensure a safe, clean, and compliant work environment.

### 1. General Safety Principles

- Safety is the first priority on every project, above speed or convenience.
- All employees and subcontractors are trained on job-specific safety protocols before work begins.
- We comply with all applicable OSHA standards, state regulations, and local building codes.
- Every team member is empowered to stop work immediately if unsafe conditions are identified.

#### 2. Personal Protective Equipment (PPE)

We require PPE to be worn at all times in the work zone. This includes:

• **Eye Protection:** Safety glasses or goggles to guard against dust, debris, and chemical splashes.

- **Hearing Protection:** Earplugs or earmuffs when operating or working near loud equipment.
- **Respiratory Protection:** Masks or respirators when grinding, cutting, or working with resurfacing compounds.
- **Gloves:** Cut-resistant and chemical-resistant gloves to protect hands from abrasions and skin contact with materials.
- Foot Protection: Steel-toe boots with slip-resistant soles.
- **High-Visibility Clothing:** When working in areas with moving equipment or low-light conditions.

#### 3. Job Site Setup and Hazard Prevention

Before work starts, we:

- Mark off and secure the work area with barriers or caution tape to keep unauthorized people out.
- Identify and clearly mark any tripping hazards, uneven surfaces, or overhead obstructions.
- Keep tools, cords, and materials organized to prevent trips and tangles.
- Use proper signage to alert others of ongoing construction and potential hazards.

### 4. Equipment Safety

- All machinery is inspected daily before use.
- Only trained, authorized personnel operate power tools and resurfacing equipment.
- Electrical cords and tools are checked for damage before each use.

- Equipment is never left running or unattended.
- Fuel and chemicals are stored safely away from ignition sources.

### 5. Dust, Debris, and Air Quality Control

- We use wet grinding methods and vacuum attachments to minimize airborne dust.
- Work areas are ventilated to maintain clean air.
- Debris is cleaned up regularly throughout the project, not just at the end of the day.
- All waste is disposed of in accordance with local environmental regulations.

### 6. Chemical Handling and Storage

- All resurfacing materials, sealants, and cleaning agents are handled according to manufacturer safety data sheets (SDS).
- Containers are clearly labeled and kept sealed when not in use.
- Spills are cleaned immediately using proper containment and disposal methods.

## 7. Fall Prevention

- Ladders are inspected before use and placed on stable, level surfaces.
- Employees are trained in proper ladder setup and climbing techniques.
- Elevated work areas are secured with railings or fall-arrest systems when required.

#### 8. Lifting and Material Handling

- Team members are trained in safe lifting techniques.
- Loads over 50 pounds require two people or mechanical assistance.
- Wheeled carts or dollies are used whenever possible to reduce strain.

#### 9. Weather and Environmental Conditions

- In hot weather, workers take regular hydration breaks and watch for signs of heat stress.
- In cold weather, appropriate clothing is worn, and icy surfaces are treated before walking.
- Work is postponed or adjusted during extreme weather that could compromise safety.

#### 10. Emergency Preparedness

- First aid kits are stocked and easily accessible on every job site.
- All employees know the location of emergency exits, fire extinguishers, and spill kits.
- Emergency contacts and procedures are posted at the job site.
- At least one team member on-site is trained in CPR and first aid.

## 11. Communication and Safety Meetings

- Daily safety briefings are conducted before work begins to review hazards and tasks.
- Any changes in job conditions are communicated immediately to all crew members.

 Incident reports are completed and reviewed for all injuries, near misses, or equipment damage.

### 12. Customer and Public Safety

- We coordinate with homeowners or property managers to minimize disruption.
- Driveways, walkways, and entryways remain clear unless work requires temporary closure.
- We alert residents or businesses to noise, dust, or access limitations in advance.
- When working in residential areas, we are mindful of children, pets, and neighbors.

### 13. Continuous Improvement

- Safety procedures are reviewed quarterly and updated as necessary.
- Feedback from crew members and clients is encouraged to improve our safety standards.
- We track safety performance and work toward reducing incidents to zero.

#### **Our Commitment**

At Husky Concrete Resurfacing, safety is everyone's responsibility. By following this policy, we ensure that every project is completed without injury, damage, or unnecessary risk—delivering quality results you can trust.